

/KRS/ 04/08/2010 STN

(FILE 'HOME' ENTERED AT 18:36:26 ON 08 APR 2010)

FILE 'MEDLINE, CAPLUS, EMBASE, BIOSIS, BIOTECHNO' ENTERED AT 18:36:51 ON  
08 APR 2010

L1 300 S ("YIP PING"/AU OR "YIP PING F"/AU OR "YIP PING K"/AU OR "YIP  
L2 249 S ("YIP P"/AU OR "YIP P F"/AU OR "YIP P K"/AU OR "YIP P K DR"/A  
L3 549 S L1 OR L2  
L4 0 S L3 AND (ALLELIC RATIO)  
L5 8 S L3 AND MASS SPECTROMETER  
L6 0 S TWICE(2W)WIDTH(3W)GAUSSIAN  
L7 0 S TWICE(W)WIDTH(10W)GAUSSIAN  
L8 0 S TWICE(20W)WIDTH(20W)GAUSSIAN  
L9 366 S ALLELIC RATIO  
L10 5921 S (MAXIMUM ENTROPY) OR (MAXENT)  
L11 80 S NOISE PROFILE  
L12 11 S MASS SPECTROMETER AND L10  
L13 34 S L10 AND COMPRESSION  
L14 3 S L13 AND MS  
L15 83947 S MASS SPECTROMETER  
L16 69 S PEAK PROBABILITY  
L17 0 S L15 AND L16  
L18 0 S L9 AND L17  
L19 496 S WIDTH(3W)GAUSSIAN  
L20 14 S (TWO OR "2") (10W) L19

=>